

Patient information from BMJ

Last published: Nov 16, 2023

Caring for someone with dementia

People with Alzheimer's disease or another type of dementia gradually lose the ability to look after themselves. Their personality also changes.

It can be heartbreaking to watch a person close to you change in this way. There will also probably be times when it seems as if they're being deliberately difficult. But it's important to remember that your relative or loved one can't help their behavior.

You might find it helpful to try to relate to what the person is feeling, rather than what they're saying. For example, if someone thinks their things are being stolen, it might be because they are anxious about forgetting where they've put things.

You could try putting labels on things, or making sure things are always put away in the same place.

If your loved one or relative has **delusions**(believes things that aren't true)**or hallucinations**(hears or sees things that aren't really there), there's no point in trying to persuade them that the things they think are happening aren't real. You also shouldn't actively agree that these things are happening.

It's better to gently distract or reassure them than argue. Simple things, like going for a drive or listening to music, may help.

You also need to make sure you have some time to yourself. It might help to have a few days away every so often. You might consider respite care, where your loved one spends a few days in a suitable care center.

You might feel guilty about doing this. But looking after your own needs will help you take better care of your loved one. Taking time away can also help stop you becoming stressed or depressed.

There will probably be a time when you need to think about getting regular help. This could be extra help at home, or in a residential care home or a nursing home.

 Help at home can include help with washing, dressing, shopping, and cooking. It can also include practical changes to your home or equipment to make it easier for someone

Caring for someone with dementia

with dementia to live safely at home. For example, timers can be fitted to kettles and ovens to remind people they have water boiling or food in the oven, and special cups and cutlery can help people feed themselves for longer. Walkers and railings can help people get around the home and carry out tasks like washing.

- Residential care homes offer help with personal care, such as washing, dressing, and getting to the bathroom.
- Nursing homes have a trained nurse on duty at all times, and offer more intensive nursing care. This might be needed if a person is very confused or is unable to control when they go to the toilet.

These can be difficult decisions to make and you may need a lot of help to decide what's best. You might want to think about these things sooner rather than later, so that you'll have plenty of time to look around and make the right choice.

There are organizations that provide advice and support for people with dementia and their caregivers, including the Alzheimer's Association (alz.org) and the Lewy Body Dementia Association (lbda.org).

Your doctor might be able to help you find support in your area, or you can search online.

The patient information from *BMJ Best Practice* is regularly updated. The most recent version of Best Practice can be found at bestpractice.bmj.com. This information is intended for use by health professionals. It is not a substitute for medical advice. It is strongly recommended that you independently verify any interpretation of this material and, if you have a medical problem, see your doctor.

Please see BMJ's full terms of use at: bmj.com/company/legal-information. BMJ does not make any representations, conditions, warranties or guarantees, whether express or implied, that this material is accurate, complete, up-to-date or fit for any particular purposes.

© BMJ Publishing Group Ltd 2024. All rights reserved.

What did you think about this patient information guide?

Complete the <u>online survey</u> or scan the QR code to help us to ensure our content is of the highest quality and relevant for patients. The survey is anonymous and will take around 5 minutes to complete.



