

# Patient information from BMJ

Last published: Jan 07, 2021

## Leg cramps: what are the treatment options?

**Leg cramps are painful muscle contractions (spasms). They're not usually serious and you might not need treatment. But if your leg cramps are bothering you or getting in the way of your sleep, there are treatments that you can try.**

**We've brought together the best research about leg cramps and weighed the evidence about how to treat and prevent them. You can use our information to talk to your doctor and decide which treatments are best for you.**

### Short-term treatment

The simplest way to relieve cramps in the short term is to gently stretch the muscles that are affected. Rubbing the muscles can also help. If you're able to, you could try putting all your weight on the painful leg for a few minutes.

### Pain relievers, yes or no?

Although taking pain relievers such as acetaminophen or ibuprofen might seem like a good way to treat painful leg cramps, these medicines might not do you any good. This is because the spasm that causes the pain is likely to be over by the time the pain reliever starts working.

### Preventing leg cramps

You might be able to take steps to prevent cramps that keep coming back. However, what steps you take will depend on what is causing your cramps. It might mainly involve treating the condition that is causing the cramps.

### Leg cramps from an unknown cause

There isn't much good research on how to prevent the return of cramps with an unknown cause.

Many treatments have been used to try to prevent this type of cramp. Research suggests that the most effective might be:

- vitamin B complex supplements
- a drug called diltiazem that is often used to treat high blood pressure and a type of heart pain called angina.

## **Leg cramps: what are the treatment options?**

You can discuss with your doctor whether either of these treatments might be the right one for you.

### **Leg cramps caused by exercise**

Drinking plenty of fluids before exercising may help prevent leg cramps.

If you still get leg cramps after exercising:

- rest in a room that's at a comfortable temperature and not stuffy
- gently stretch the affected muscles
- if your urine is dark, drink a sports drink and eat a salty snack.

If, after exercising, you have very severe cramps, feel very faint and dizzy, and feel either very hot or very cold, you should get medical attention right away.

### **Leg cramps linked to diabetes**

If you have diabetes, you might get leg cramps during a hypoglycemic episode (or "hypo"), where your blood sugar gets too low. The simplest way to treat the cramps is to treat the hypo, by having a sugary drink or snack.

Good blood sugar control may help prevent more hypos and leg cramps. This could mean adjusting your diet, avoiding alcohol, and talking with your doctor to make sure you are taking the right medicines for you.

### **Leg cramps during pregnancy**

Changes in the body during pregnancy can cause leg cramps. These usually stop after the birth.

Some doctors recommend magnesium salts supplements for preventing leg cramps in pregnancy. But high doses can cause diarrhea. Vitamin B supplements may also help. However, you shouldn't take any medicines, vitamins, or supplements while you're pregnant unless they are recommended by your doctor.

### **Leg cramps linked to dialysis**

Some people get leg cramps when they have a treatment called dialysis. This treatment uses a machine to clean your blood if your kidneys don't work properly.

There are treatments that can help prevent cramps caused by dialysis. For example, a combination of vitamin E and vitamin C supplements may help some people.

Another treatment that may help is a medicine called quinine. But this drug can have serious side effects, including nausea, headaches, dizziness, diarrhea, liver damage, and sometimes blindness. Because of this, in some countries, including the United States, quinine is not used for leg cramps, or is used only as a last resort.

### **Leg cramps caused by cirrhosis**

Cirrhosis is a type of liver damage that's usually caused by drinking too much alcohol over many years. It can cause leg cramps in some people. Zinc sulfate or vitamin E supplements are sometimes recommended for prevention.

## Leg cramps: what are the treatment options?

### Leg cramps caused by conditions that affect the muscles or nerves

Conditions such as multiple sclerosis (MS) and motor neuron disease can cause leg cramps.

There are many medicines and supplements you can try for preventing cramps if you have one of these conditions, but research has not given a clear picture about what works best. Possible treatments include muscle relaxers, drugs that are usually used for epilepsy, or antidepressants. You can talk with your doctor about what might work best for you.

The patient information from *BMJ Best Practice* is regularly updated. The most recent version of Best Practice can be found at [bestpractice.bmj.com](https://bestpractice.bmj.com). This information is intended for use by health professionals. It is not a substitute for medical advice. It is strongly recommended that you independently verify any interpretation of this material and, if you have a medical problem, see your doctor.

Please see BMJ's full terms of use at: [bmj.com/company/legal-information](https://bmj.com/company/legal-information). BMJ does not make any representations, conditions, warranties or guarantees, whether express or implied, that this material is accurate, complete, up-to-date or fit for any particular purposes.

© BMJ Publishing Group Ltd 2025. All rights reserved.

### What did you think about this patient information guide?

Complete the [online survey](#) or scan the QR code to help us to ensure our content is of the highest quality and relevant for patients. The survey is anonymous and will take around 5 minutes to complete.



**BMJ** Group